

### Central Bank of India, Regional Office, Chandigarh

INIVITES Tender for Interior, Furnishing, Electrical & allied works & Data Cabling works in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 17B, Chandigarh.

### Last date of Tender Submission: 4:00 PM of 15.12.2024

Date of opening of Technical Bid : 4:30 P.M., 15.12.2024 or any subsequent date under advice to the tenderers.

Date of opening of Price bid

: Technically qualified bidder will be notified in advance

Tender to be submitted in TWO Envelopes separately:

Envelope 1 = Technical Bid comprising Tender document + Documents conforming to Eligibility Criteria + EMD (DD) + Tender Fees (DD)

Envelope 2 = Price Bid

Both the above sealed envelopes are to be kept in one large sealed envelope. For any enquiry/grievances - email id: gadchanro@centralbank.co.in

If bidders/tenderers are not satisfied with Bank's response then they may escalate their grievances to Our Banks's Independent External Monitors (IEM).

External Monitor (IEM) -

Shri T N Trivedi, Email: trivikramntayahoo.co.in Shri J N Singh, Email: jagadipsinghayahoo.com

However, First point of contact should be Bank and IEMs should be contacted later only if tenderer has some issue in tendering process and not satisfied with Bank's response

Tender for Interior, Furnishing, Electrical & allied works & Data Cabling works in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 17B, Chandigarh.

Name of the Tenderer:	
Address:	
***************************************	
Email:	
Mo:	

Last Date of submission: 15.12.2024

(Sudhanshu Shekhar) Regional Head

Central Bank of India, Regional Office, Chandigarh

### APPENDIX TO GENERAL CONDITIONS OF CONTRACT

a) Tender Fee(non-refundable) :

Rs. 1000/- (One thousand Only) in the form of DD in favor of Central Bank of India payable at Chandigarh to be submitted with Bid. (Exemption: Submission of valid Micro and Small Enterprises (MSEs) certificate as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department).

Earnest Money Deposit (EMD);

Rs. 25,000/- (Twenty Five thousand only) in the form of DD in favor of Central Bank of India payable at Chandigarh to be submitted with Bid. (Exemption: Submission of valid Micro and Small Enterprises (MSEs) certificate as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department).

The EMD of bidder to whom work will be entrusted and after due fulfillment of the Contract period or the period it is extended to will be refunded on completion and certification of the work. This will be forfeited in case of noncompliance of the terms & conditions of the contract. This amount will not bear any interest. The EMD of unsuccessful bidders shall be returned once tendering process is completed. (Exemption: Submission of valid Micro and Small Enterprises (MSEs) certificate as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department).

c) Date of commencement

From the date of the work order and handing over of site.

d) Date of Completion

21 days from date of commencement.

e) Stages of payment

On completion only

f) Retention Deposit

10% of the value in form of actual verified work done.

Signature of Contractor

Tender for Interior, Furnishing, Electrical & allied works & Data Cabling works in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 17B, Chandigarh.

### INDEX

No.	DESCRIPTION	PAGE NO.
1	NOTICE INVITING TENDER	04
2.	FORM OF TENDER	05
3.	ELIGIBILITY AND EVALUATION CRITERIA	06
4.	INSTRUCTIONS TO TENDERERS (ANNEXURE-I)	07-10
5.	FORMS & PROFORMAS	11-20
6.	PRICE BID- SEPARATE SHEETS	21-26
		2.10

### NOTICE INVITING TENDER

RO/CHD/BSD/2024-25/

Dated -: 29.11.2024

Dear Sir / Madam,

Reg : Tender for Interior, Furnishing, Electrical & allied works & Data cabling works in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector – 17B, Chandigarh.

Please note the following:

- 1. Central Bank of India, invites you to tender for the aforesaid work.
- Tender Documents can be collected from Business Support Department, Central Bank of India- Regional Office, 2<sup>rd</sup> floor, SCO 58-59, Bank square, Sec 17 B CHANDIGARH or can be downloaded from the link:

### http://www.centralbankofindia.co.in

The sealed Tender in the prescribed tender form in one envelope comprising PART -1 (Technical Bid = This Tender document + Documents conforming to Eligibility criteria + EMD + Tender Fees) & PART-2 (PRICE BID) should be submitted to CM-BSD, Central Bank of India- Regional Office, 2<sup>rd</sup> floor, SCO 58-S9, Bank square, Sec 17 B CHANDIGARH 160017 super scribed "INTERIOR, FURNISHING, ELECTRICAL & DATA CABLING WORKS" in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 178, Chandigarh.

- 3. The Tender documents are to be submitted in a single sealed envelope comprising of two small envelopes having Technical bid and price bid. Vendors confirming to eligibility criteria mentioned in this tender document shall apply for the tender. Any question/doubts related to tender document may be clarified with Bank over phone on 9888802538 (10am to 5pm). The bids shall not include any conditions whatsoever. Only unconditional tenders will be accepted. Any conditional tender will be liable for rejection.
- 4. The envelope should be submitted to the above office on and before 4:00 PM of 15.12.2024. The Technical Bid of tender will be opened on 15.12.2024 or any subsequent date under advice to the tenderers at above mentioned address in presence of tenderers or their authorized representatives who choose to be present. Date of Opening of Price Bids will be informed in advance to technically qualified
- 5. Tenders received late on account of any reason whatsoever shall not be entertained.
- 6. The Defect Liability Period of the said work shall be for 1 year from the date of work completion and handing over of site by contractor duly accepted by Bank.
- Validity of the Tender shall be 120 days after the deadline for submission of bids prescribed by Bank.
- 8. The Employer does not bind himself to accept the lowest or any tender and reserves the right to accept or reject any or all tenders either in whole or in part, without assigning any reason for doing so.
- 9. Any addendum/corrigendum thus issued shall be part of the Tender Documents and shall also be posted only on the Bank's website. Therefore applicants are requested to frequently visit the Bank's website regarding modifications / corrigendum issued.
- 10. For any further information on the tender, Central Bank of India, Business Support Department, Regional Office-Chandigarh may be

(Sudhanshu Shekhar) Regional Head

Central Bank of India,

Regional Office- Chandigarh

### FORM OF TENDER

Chief Manager-BSD Central Bank of India.

### Regional Office-Chandigarh

Reg : Tender for Interior, Furnishing, Electrical & Data cabling works in Conference room of Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 17B, Chandigarh.

Dear Sir / Madam,

- Having examined the requirement and scope of work, having visited the site and having satisfied ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted, for the said scope of work.
- I/We shall execute works at my/our tendered rates together with any variations in quantities approved by the Employer.
- In the event of this tender being accepted, I/We agree to enter into and execute the necessary contract
  agreement required by you. I/We agree not to employ Sub-Contractors other than those that may be
  approved by you.
- 4. I/We agree to pay and bear Income-tax, VAT, Works Contract Tax, Labour Welfare Fund Charges, Octroi duties and all other taxes etc. as prevailing from time to time on such items for which such taxes and charges are levied by the appropriate authorities. The rates shall be quoted in all inclusive except GST.
- I /We understand that you are not bound to accept the lowest offer or bound to assign any reasons for rejecting our tender.
- I /We agree to keep our offer open for 120 days after the deadline for submission of bids prescribed by Bank.

Thanking you,

Signature of Tenderer with Seal & Address

Date:

### ELIGIBILITY CRITERIA

### 1. ELIGIBILITY CRITERIA FOR APPLYING TO TENDER

Only those contractors who have worked for reputed organizations and have executed similar type of works can furnish documentary evidence of complying with the following criteria, shall apply:

- 1.1. The tenderer should possess Permanent Account Number (PAN), Tax Deduction Account Number (TAN) and GST number issued by the relevant tax department of Govt. of India.
- 1.2. Should have an average annual financial turnover of Rs.5 Lakhs or above during last five financial years ending 31.03.2024. This should be duly audited and certified by Chartered Accountant, if required as per norms. These should be supported by audit statements or tax returns.
- 1.3. The applicant should submit documentary evidence in support of minimum experience of 2 years. The applicant should have satisfactorily completed "similar" i.e. Interior, Furnishing, Electrical, Data cabling works of offices / Bank branches etc. of magnitude as specified below during the last 5 years ending 31.03.2024. (Proforma-1). This should be certified by Competent Officer of the Organization under whose supervision the work/ project has been done.

### Notes:

- The above said works should have been completed by the contractor as Principle contractor (and not as subcontractor) in Central / State Govt. / Autonomous Body / PSU / Bank / Financial Institutions / Educational institutes/Private Organization etc.
- 2. Similar Works means: Interior, Furnishing, Electrical and allied, Data Cabling etc. works.
- All documents should be duly signed by the contractor taking the responsibility of the same.
- 4. The applicant should not have been disqualified / debarred / terminated on account of poor or unsatisfactory performance / blacklisted from any of the public sector banks / public sector organizations / government / semi-government organizations including any of the offices/ branch of Central Bank of India during last 5 years as on the date of publication of this tender notice.
  - Only such contractors who fulfill the aforesaid eligibility criteria need to apply.

### 2. EVALUATION CRITERIA:

For the purpose of Tender, the short listed eligible applicants will be evaluated in the following manner:

Tenders without EMD & Tender Fees (unless otherwise exempted) shall be out-rightly rejected and shall not be evaluated for Technical eligibility.

- 2.1. The initial eligibility criteria prescribed above (in respect of experience of similar class of works completed) shall first be scrutinized and the applicant's eligibility for Tender for the work is determined.
- 2.2. Only the applicants who meet the eligibility criteria specified as above will be evaluated on the basis of details and documents furnished by them.
- 2.3. If necessary, the authorized representatives of Bank will visit all / few projects / sites which are recently executed / being executed by the applicants, in order to evaluate the performance of the applicants.

On the basis of the eligibility criteria mentioned above and after the evaluation of the applicants based on the site visit report, if any, credentials submitted by the applicants, confidential reports obtained from various clientele (wherever necessary), Tender Bid Part-II (Price Bid) of only Technically qualified Contractors shall be opened on the date which will be informed in due course.

### ANNEXURE-I

### INSTRUCTIONS TO TENDERERS

### A. LOCATION:

The site is located at Central Bank of India, Regional Office, 2nd Floor, SCO 58-59, Sector - 17B, Chandigarh

Tenderers must get acquainted with scope of work (as per BoQ), conditions of contract and other conditions carefully before tendering. No request for any change in rates or conditions for want of information on anything whatsoever in these Tender documents shall be entertained after receipt of tenders.

The tenderers are advised to inspect the site to ascertain the nature of site, works, and access there to, location for execution of the work. The tenderers must examine and inspect the site of the work and acquaint themselves with all local laws, regulations and practices and should apply for the Tender accordingly.

### B. SUBMISSION OF TENDER:

- Tender must be submitted in original and as per details given hereunder. The rates shall be filled in the Price Bid given in the Tender Document.
- The Tender comprising two separate sealed envelopes comprising Technical & Price bids respectively are to be kept in a large single sealed envelope.
- Any conditions/stipulations mentioned in the tender may not be taken into consideration for evaluation of the tenders.
- Tenderers are requested to quote strictly as per the terms and conditions, specifications, standards given in the tender document and not to stipulate any deviations.
- Addenda to this tender document, if issued by Bank, must be signed and submitted along with the tender document.
- 6. All pages of this document are to be signed by the bidder in token of his acceptance of the conditions thereof. All pages of tender documents shall be signed at the lower right hand corner or signed wherever required in the tender documents by the tenderer or by a person holding power of attorney authorizing him to sign on behalf of the tenderer before submission of tender.
- 7. Rates to be quoted in figures. The Tenderer should quote in English in figures in such a way that interpolation is not possible. The final total tender amount shall be quoted in figures and words. The tendered amount for the work shall be entered in the tender and duly signed by the Tenderer.

### 8. Corrections and Erasures:

All corrections and alterations in the entries of tender papers should be signed and dated in full by the Tenderer. Corrections to be made with white fluid and over writings are not permitted.

- The tender shall contain the names, residence and place of business of person or persons submitting and signing the tender and shall be signed by the Tenderer with his usual signature. Partnership firms shall furnish the full names of all partners in the tender. It should be signed in the name of the partnership by all the partners or by duly authorized representative/s followed by the name and designation of the person/s signing. Tender by a Company or Corporation shall be signed by an authorized representative, and a power of Attorney on their behalf shall accompany the tender in Envelope. A copy of the partnership deed of the firm with names of all partners shall be furnished.
- 10. In quoting rates, the tenderers are advised to take into account all factors including any fluctuations in market rates. No claim for enhanced rates will be entertained on this account after acceptance of the tender or during the currency of the contract.
- 11. The rate to be quoted by the tenderer shall be firm and shall cover and include cost of all materials required for upkeep of the premises, wages to the laborers, supervisors, equipment deployed, contractors profit.

transportation charges and all statutory levies, taxes such as "Octroi, sales tax, VAT, excise duty, PF, ESI but excluding GST.

- 12. The tenderer shall note that no claim for enhancement of rates/cost escalation, on the ground that cost of materials, labor has increased, existing statutory levies have been increased, after tender, or in any other ground, will be entertained on any account.
- 13. Before tendering, the tenderers are advised to inspect the site of work and its environments and be well acquainted with the actual working and other prevailing conditions. The tenderer should specifically note that it is tenderers responsibility to provide all items which are not specifically mentioned in the scope of works, but which are necessary to complete the subject services.
- 14. The bank will not be bound to accept the lowest tender and reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever.
- The contractor has to maintain an attendance register of the persons employed and the same will be inspected daily by the Bank's Officer-incharge.
- 16. If any of the labour employed by the contractor is found to be under performing or any misbehavior is found / reported while on duty, Bank reserves the right to ask for a suitable substitute.
- No alterations or additions are to be made by the Contractors to the tender document. Violation of this instruction will attract rejection of the tender at the discretion of the Bank. All the works shall be executed strictly as per Tender specifications. The furniture's should be made at site with raw materials like wooden boards, laminates, etc. duly inspected and approved by Bank's Officer-in-Charge/ Engineer, All other works which will get hidden / concealed or otherwise should be first got inspected by Bank before execution.
- 18. Witness; Witness and sureties shall be persons of status and propriety and their names, occupation and address shall be stated below their signatures.
- SCOPE OF WORK:

The contractor selected for execution of the work shall be conversant with all codes of practice, rules of local authorities and procedures for obtaining approvals from any authority or as the case may be. The work shall include the following items of work broadly:

The works shall include renovation of conference room having furnishing, electrical & allied works or any other similar work. The work shall be executed as per the directions of Engineer-in-Charge as per the Banks requirement and tender specifications. Works not covered in the specifications shall be carried out as per relevant Indian Standards Code of Practice and specifications of materials with prior approval of Bank.

TENDERER SHALL VISIT THE SITE

The intending tenderer shall visit the site and make themselves thoroughly acquainted with work to be executed, local site condition, nature and requirements of the works, facilities of transport condition, effective labor and materials, access and storage for materials. The successful tenderer will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before & after the commencement of the work or which in the opinion of the Employer/Architects might be deemed to have reasonably been inferred to be so existing before commencement of work.

- Any printing or typographical errors /omissions in tender document shall be referred to the Employer and his interpretation regarding correction shall be final and binding on Contractor.
- 22. TRANSFER OF TENDER DOCUMENTS: Transfer of tender document purchased by one intending Tenderer to another is not permitted
- RETENTION DEPOSIT: 10% of the value of actual verified work done.
- 24. RELEASE OF RETENTION DEPOSIT: After 1 year from the date of completion of work including testing and handing over the site by contractor duly accepted by Bank provided attending to the work defects by contractor arising in this 1 year upto the Bank's satisfaction. Necessary deduction from retention money shall be made from the expenses done by Bank in rectification of defects, if not attended by contractor.

- 25. Defect Liability Period: 1 year from the date of completion of work including testing and handing over of site by contractor duly accepted by Bank. DLP includes all the works executed by Contractor at the branch office of whatsoever nature.
- 26. VALIDITY:

Tenders shall remain valid for 120 days after the deadline for submission of bids prescribed. In exceptional / unavoidable circumstances, Bank may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (or by email). The EMD shall also be suitably extended. A Bidder may refuse the request without forfeiting its EMD. A Bidder granting the request will not be required nor permitted to modify its tender.

27. RIGHT TO ACCEPT OR REJECT TENDER:

The acceptance of a tender will rest with the Employer who does not bind himself to accept lowest tender and reserve to themselves the authority to reject any or all the tenders received. They also reserve the right of accepting the whole or any part of the tender and the Tenderers shall be bound to perform the same at the rates quoted. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or there is any correction not duly signed and dated by the Tenderer are liable to be rejected. The job may be awarded to one or more agencies by dividing the work at the entire discretion of the Employer. The quoted rates shall hold good for such eventuality.

TIME SCHEDULE:

The said work shall be completed in 21 days from the date of award of work order and site handover.

29. LIQUIDATED DAMAGES FOR DELAYED COMPLETION:

If the contractor fails to complete the work by the scheduled date of completion or within any sanctioned extended time, he will have to pay 0.5% of the accepted tender amount per week as liquidated damages for each week beyond the scheduled date of completion or the extended period of completion for works remaining incomplete. The above penalty shall be imposed for period of delay attributable to Contractor for the entire scope of work assigned to them for project completion. The decision of Bank in this regard shall be final & binding. The maximum liquidated damages recoverable shall be 5% of accepted tender amount.

30. WATER AND ELECTRICITY:

Electricity and water for execution of work shall be arranged by the Bank.

31. SIGNING OF THE CONTRACT:

The successful Tenderer shall be required to execute an agreement in the pro-forma approved and provided by Bank within 7 days from the date of receipt of the notice of acceptance of tender or letter of intent. On acceptance of the tender, the name of the accredited representatives of the Contractor, who would be responsible for taking instructions from the Employer as the case may be, shall be communicated to the Bank.

- 32. Bank is not concerned with any rise or fall in the prices of any materials or labour. The rates quoted shall include charges including any enhanced labour rates etc. which may be enacted from time to time by the State and/or the Central Government and shall remain valid till Completion of the work. Under no circumstances shall bank be held responsible for compensation or loss to the contractor due to any increase in the cost of labour or material etc. No Price Variation Adjustments shall be admissible.
- 33. Permission/ approval if so required from any civic, local, government, municipal, competent authorities shall be the entire responsibility/scope of the contractor and Bank shall not make any payment in this regard which may be noted.
- 34. The said premises in which awarded work is to be executed may have functional Bank's office/branch etc. As such said works are to be done causing minimum disturbance to the office and Bank staff. Contractor to take up the said works strictly as per Bank's instructions & priority failing which Bank may take appropriate action including imposing penalty / cancellation of order.
- 35. Extra item is to be executed only after obtaining rate approval from Bank by submitting rate analysis based on the latest available DSR or deduced from similar item rate in tender or if the rate is not derivable as above than it should be based on prevailing market rates to be accepted by Bank.

- 36. No compensation whatsoever of any type at any stage shall be done to Contractor for any avoidable / unavoidable conditions in start / during execution / completion of work.
- 37. EMD of only successful bidder will be kept for the period of work completion, testing and its verification. It will be released along with Final Bill. Retention Deposit shall be kept with Bank upto DLP provided conditions at point no. 24 above are fulfilled.
- 38. Forfeiting of EMD:

  (a) if a Bidder (i) withdraws its tender during the period of tender validity; or (ii) does not accept the correction of arithmetic errors; or
  (b) in case of a successful Bidder, if the Bidder fails: (i) to sign the Contract; or (ii) to furnish security deposit.
- Terms & Conditions not specifically mentioned here shall be governed by latest available CPWD-GCC.
- 40. Details of civil suits or any other litigation, if any that arouse during execution of the contract / work in last 5 years. Based on the details submitted herein, it will be sole discretion of Bank to consider or not consider the tenderer. Proforma 2.
- 41. Central Bank of India will not be held responsible for the tender documents sent through post / courier but not received in our office by the scheduled date and time. Their offers will not be considered on any account even if borne by the intending tenderers.
- 42. For abnormally low bids (i.e. quoted amount less than Project estimate by 25%), the selected contractor shall have to submit additional performance guarantee of amount equal to 8% of the tendered cost for the entire period of project completion + 60 days. The project estimate shall be as per Bank's record. Decision of Bank in this regard shall be final and binding.

Signature of the applicant

# DETAILS OF REGISTRATION

d proof	Z				
Enclosed proof	X				
Date / year of registration					
Registration No.					
name of organization / department		Registrar of firms and societies	Income tax department (mention PAN no. with copy of latest income tax clearance certificate)	GST registration	Details of EPF account and registration
ń			23	6	4.

## FINANCIAL STATUS

Financial year	(in * lacs)	Profit / loss (in ₹ lacs)	Enclosed certified copies of audited balance sheets / chartered accountant's certificate.	es of audited balance ountant's certificate.
			Yes	No
2022 - 2023				
2023-2024				

Furnish copies of audited Balance Sheet and Profit & loss account (audited, as applicable) for the last two years.

### PROFORMA -1

# PARTICULARS IN RESPECT OF WORK EXECUTED

No.	-	2	6	4
Name of the work/ project executed with address				
Short description of work executed				
Name and address of owner				
Value of work executed				
Stipulated time of completion				
Date of commencement				
Date of completion				
Any other relevant	TO THE OTHER DESIGNATION OF THE OTHER DESIGNAT			

## Signature of the Applicant

Note: The contractor shall mention only those works executed during last 2 years which fulfills the eligibility criteria on this page. The list is to be substantiated with the documentary evidence such as work order and completion certificates and/or other relevant documents to be accepted at sole discretion of Bank in absence of which the application is liable to be rejected.

### PROFORMA -2

# PARTICULARS OF CIVIL SUITS OR ANY OTHER LITIGATION, IF ANY IN LAST 5 YEARS

Relevant information regarding civil suits with its	G			
Value of Work Executed				
Date of Completion of Work				
Date of Work order				
Name and address of employer/ow ner				
Short description of work executed				
name of the work/ project executed with address				
. No .		64	6	

# Signature of the Applicant

Use separate sheet, if required.

# LIST OF APPROVED MAKE OF ACCEPTABLE MATERIALS

# ENTIRE MATERIAL LISTED BELOW SHOULD BE FIRST APPROVED BY THE BANK AND CONSULTANT BEFORE EXECUTING)

S. No.	Item	Specified Material
	False Ceiling-	
	1)Gypsum Board	<ol> <li>12.5mm thick Gypsum Board of Gypsum India Ltd. with sections of 26 gauge GI sheet of "Gypsum India Ltd." Company or equivalent.</li> </ol>
	2)Armstrong Tiles	2). Armstrong 600x600x(12-15 mm thick) perforated tiles as per "Armstrong Pvt. Ltd." company's specifications or equivalent.
7	Aluminum Sections	-18 Gauge anodized Aluminum tubular sections with 20 micron (black) of 50x50mm, 50x40mm for partition and 16-18 gauge anodized Aluminum sections of 40x115mm for bottom rail & top rails of doors, 40x150mm lock rail and 40x20mm plain for shutters of the sliding window. or equivalent.
		All aluminum section to be anodized in black shade and shall be of "Jindal/Nalco/ Hindalco or equivalent.".
	1.Partition	
	2.Door	
3	Aluminum Grill	"Jindal/Nalco/Hindalco or equivalent."
4	MDF/Particle Board	12 mm thick both side faminated "Greenlam /Archidlam /Century or equivalent." with Ivory/ Beige shade BSL, Interior grade IS: 12823.
2	1.Plywood/ Block Board (BWP/BWR)	<ol> <li>Phenol bonded, water proof, plywood of all required thickness (6mm,9mm, 12mm, 19mm and 25mm) of "Century, Duro, Archid or equivalent." conforming to IS: 303, 15: 710 &amp; 15:1659</li> </ol>
	2. Plywood/ Block Board	2) MRIS: 303.
9	Wood	Well-seasoned teak-wood

7 Mou		9 Adh	10 Glass	11 Lock	12 Hydi	13 Floo	14 Drawe Slider	15 Key I	16 Hard	17 Teak	Paint	Off wh 18 Cream			Flooring 19	
Moulding & Lipping	Wood Preservative	Adhesive	SS	Lock/Night Latches	Hydraulic Door closer	Floor Spring (Double action 100 kg150 kg)	Drawer Channel / Slider (Telescopic)	Key Board Drawer/Tray	Hard ware	Teak wood		Off white, Desert White, Cream			ing	
1st Quality Teak Wood.	"ASIAN/ NEROLAC/ BERGER/ICI/ DULUX or equivalent."	"FEVICOL ( SH)/ PIDILITE or equivalent."	Plain float glass "Modi / Saint Gobain or equivalent." of all thickness	"GODREJ/ LINK/HARRISON or equivalent."	"DORMA, GODREJ or equivalent." confirming to IS:3564:1986	"GODREJ, DORMA or equivalent." confirming to IS: 6315:1992 & IS:7197:1972	Sleek computer keyboard slide of required lengh mounting telescopic, steel ball slider STDS series keyboard of "EARL BIHARI, EBCO, HETTICH, GODRE) or equivalent."	Ready to use, computer keyboard tray KBT series keyboard of "EARL BIHARI, EBCO, HETTICH, GODREJ or equivalent.".	All the necessary hardware shall be of ISI marked with best quality/ and as per Bank's approval,	Beading and Moulding to be of first quality teak wood.	1. Acrylic paint/ Luster Paint: - "ROYALE, ICI, ASIAN DULUX/NEROLAC or equivalent."	2.0ll bound distemper:- "ROYALE, ICI, ASIAN DULUX/NEROLAC or equivalent,"	<ol> <li>Synthetic Enamel Paint: - "ROYALE, ICI, ASIAN DULUX/NEROLAC or equivalent."</li> </ol>	4. Texture Paint: - "WEATHER COAT, EXTERIOR, APEX, SNOCEM, ASIAN or equivalent." Exterior Crusade 0684	1. Vitrified tiles: - 600x600x (8-10 mm thick) Premium "NITCO/ MARBONITE/ JOHNSON or equivalent."	

		3. Vinyl Flooring: - 2mm thick "Royale, LG, ASIAN KRISHNA, ARMSTRONG or equivalent."
20	Roller /Venetian Blinds (Off white, Abstract Beige B/O-0002	"VISTA, MAC, AUROLUX or equivalent.".
21	Chairs with fabric Red and Blue as per Bank's standardization	"GODREJ, METHODEX, FEATHERLITE, DURIAN, WIPRO, AMARDEEP or equivalent." (High, Mid, Low back and visitors chairs)
22	Visitore Seating	Chrome plated Perforated seats OF ABOVE BRANDS
9	n n	3seater and 2seater
23	Rubber/ Polyurethane /Tapestry/Leather Foam	Foam of all thickness of 40-50 density HD U- Foam of "Dunlop, MM, TATA or equivalent.".
24	Wash Basin	Vitreous China, conforming to IS: 2556 "Hindware /Cera /Johnson /Parryware or equivalent.".
25	wc (EWC/Orissa Pan)	Vitreous china, conforming to IS:2556 "HINDWARE/CERA/JOHNSON/PARRYWARE or equivalent.".
56	GI Pipes	"C"- Class GI pipes, for all the diameters, "JINDAL, BINDAL, TATA or equivalent."
27	Tap & Flush cock	CP Finish bib cock and pillar cock, flush cock. "PLUMBER, JENITH, JAL, JAC, MAC, BELL or equivalent."
28	Sink	Stainless steel sink. "NIRALI or equivalent."
53	Cement	Best quality, 53 Grade (OPC)-"ACC, AMBUJA, BINANI, BIRLA or equivalent. confirming to IS:1489-1976
30	Steel	Hot rolled deformed bars confirming to IS:1139-1966 (Fe-415 HYSD) "TATA, Jindal, Rathi SAIL, RINL"
31	Aggregates	Aggregates shall comply with the requirements of IS:383-1970
32	Brick Works	All brick work shall confirm to IS:2212-1962

ž ž	Reinforcement Bending and Fixing Works	Bending and fixing of bars for concrete works shall be as per IS:2502-2009
S	RCC/PCC Works	All RCC/PCC works shall confirm to TS:456-2000
2	Aluminum Composite Panel	"Alstone / Alucobond /Eurobond or equivalent."
ar	Modular Work Stations	"Godrej, Methodex, Wipro, Shapoorji Paloonji, Featherlite or

### ELECTRICAL

s.	Items	Make	Code
Etali	MCCBs, MCBs, ELCBS, RCCBs, DB, ICTPN, TP, HRC	L&T, Legrand, Siemens or as equivalent	IS: 8828 for MCB
	fuse, Change over switch, Switch Fuse Unit		IS:13947 for MCCB
			IS:12640 for RCCB
			IS:13703 for HRC fuse
			IS:13947 for SFU
	FRLS insulated Elect. Wires Sheathed/ unsheathed, Flexible LT cable, Multi core/single core Cable, Flat	Finolex, Polycab, RR or as equivalent.	IS: 694 for PVC cable 1.1 KV GRADE-FRLS
	Rotary Switches. Selector Switches	L&T, GE, ABB, Siemens or as equivalent.	Relevant IS
	Exhaust fan ,Pedestal fans, Celling fan	Crompton, Orient, Usha or as equivalent.	IS: 374 for ceiling fan
	Electronic Energy Meter	L&T,HPL, ABB or as equivalent.	IS: 2312 for Exhaust fan IS:13779/1999

or as equivalent.  *Only 3 star and above rating in Window/Split/Cassette AC	Crabtree, MK, Legrand or IS: 3854 for switches as equivalent.	1S: 1293 for plugs& sockets	IS: 371 for ceiling rose		, Leader or	Crabtree, MK, Legrand or IS:11037	AKG, Setia, BEC (ISI) 2 IS:9537/93 mm thick or as	Siemens, L&T, Schneider IS: 2705 or as equivalent	Siemens, L&T, ABB, BHEL, IS: 3231/65 GE or as equivalent.	D Link or as equivalent. (With 15 years certification)	Osram or	Delton, Finolex, National (Conductor dia - 0.61 sqmm) or as equivalent.	MDS Legrand – 32 amp / Hager L&T or as	Load (Euro
Toshiba, Daikin, or as equivalent.	Crabtree, MK, as equivalent.	10			Anchor, Cona as equivalent.	Crabtree, MK, as equivalent.	AKG, Setia, BEC mm thick or as equivalent.	Siemens, L&T, So or as equivalent	Siemens, L&T, ABB, GE or as equivalent.	D Link or as	LED - Philips/ as equivalent.	Delton, Finolex, I	MDS Legrand – Hager L&T or as equivalent.	Havells - On Load (Euro Load) or as equivalent.
Plants , Package type plant ,Window/Split AC, Cassette type AC	Electrical accessories Modular - switch, Plugs sockets, ceiling	rose, Angle holder, holders		Bell Buzzer	3770	Electronic fan regulator	PVC Conduit pipe & Casing - capping for electrical wiring	Current Transformer	Relays	Data Cable	Light Fittings	Telephone Cable	Industrial Socket with box	Changeover Switches
	7			8		5	10	11	12	13	14	15	16	17

proof with necessary stiffners with indicators of Tele mechenique / L&T Input/ Output Volt & Ampere Meter	Total State of the
	proof with necessary stiffners with indicators of Tele mechanique / L&T and Input/ Output Volt & Ampere Meter
	מלווע אין

# SPECIFICATION OF WORKMANSHIP:

- All the exposed surfaces (that come in first sight or in direct vision) such as top/ front/ sides of counter, table etc. shall be covered with laminates/ tapes/border.
- All the hidden exposed surfaces (that does not come in first sight or in direct vision) shall be finished with 0.8 mm thick laminate of Green lam/ Archidlam / Sunmica/ Formica and there shall be no putty, primer or any oil bonded synthetic enamel paint in these 5
- All the exposed edges and corners of plywood of 12mm & 18mm shall be protected by nailing wooden beads/border of required size. 3
- All the wooden beading/batons shall be finished with high-class sprit polish in natural shade.
- All the exposed edges and corners of furniture shall be comfortably and smoothly chamfered/ rounded off to avoid any sharp and
- A good surface preparation shall be done prior to applying primer/putty/paint/polish either on walls, ceiling or on furniture. 6
  - All the finishing shall be done with due care & perfection so that final quality/look/appearance/glare/shine achieved is of the required standard and satisfaction. 2
- All the operative units/members of items, fixed hardware/ fittings/ fixture etc. such as locks, levers, hinges, door closures, latches etc. shall be adequately smooth and well in operation/performance at the time of handing over work/site to the Bank. 8

Name, Signature of the Auth. Signatory, with date, company/firm's stamp

360

Sq.ff

centers. Note: Only reflected ceiling plan length and width from direction perpendicular to the intermediated channel at 457mm

bottom shall be measured and verical patta will not be measured. FALSE CEILING DESIGN SHALL BE AS PER GIVEN DESIGN BUT LARGELY

WILL BE IN MIX OF 2X2 GRID WITH GYPSUM PATTA WITH COVES. RATE

INCLUDES PAINTING ALSO.

# PROFORMA FOR PRICE BID

A	Total Summer				
	Idial Furniture and allied works				
Š	Hem				
No.		Unit	Oty.	Rafe	Amount
10	FAICE CEILING (CANA)	Sq.H			
	CELLING - (GITBOAKD) IN BRANCH HALL AND ENT. LOBBY				
	Providing & Extra Calca Calca				
	channels of size 0.55mm thick (having one flange of 20mm and another flange of 30mm and a web of 27mm) along with				

and screws, at 610mm centers. Then suspending G.I. intermediate ceiling screw fixed to brick wall/partition with the help of nylon steeves

channels of size 45mm (0.9mm thick with two flanges of 15mm each) from the suffix at 1220mm centers with ceiling angel of width 25mm X 10mm X 0.55mm thick fixed to soffit with G.I. Cleat and steel expansion fastners ceiling section of 0.55mm thick having knurled web of 51.5mm and two flanges of 26mm each with lips of 10.5mm are then fixed to the intermediate channel with the help of connecting clip and in

	240	240
	Rate Only	8q.#
ARMSTRONG TILES CEILING	Providing and fixing of false ceilings at all heights of 600 mm X 600 mm X 16 mm ARMSTRONG/DEXUNE Mineral Fibre ceiling tiles of type Prima Dune Premier-Beveled Tegular Edge RH-99 laid on Armstrong 15mm exposed grid system. The framework compromise of main runner spaced at 1200mm centers securely fixed to the structural soffit by approved hangers at 1200mm maximum centers. Hangers (GI wire of 4.0mm dia) to be fixed by approved roof plug, level adjuster and screws etc. The last hanger at the end of each main runner should not be greater than 450mm from the adjacent wall. Flush fitting 1200mm runners at 600mm centers to form 1200 X 600mm modules. Cut cross tees longer than 600mm to be supported independently, 600mm X 600mm modules to be formed by fitting 600mm long flush fitting cross tees centrally between the 1200mm cross tees.	Wooden suspended celling: either hard wood mainly teak logs or MDF to be decided as per design. Finished surface has to be polished to give natural finish or in case of MDF mica is glued to MDF on either side of the board. Design to be matched with natural finish.
19		10

Providing and fixing partition in position as per design with 2"X11%" sall wood finished section frame work @ 2"-0" c/c both ways screwed to the floor and ceiling with M.S. Cleats and All wood frame work to be applied with 2 coats of fire relardant paint and 1 coat of wood preservative with anti-termite properties. The measurement will be preservative with anti-termite properties. The measurement will be taken up to the take ceiling visible height in case of full height partition. The frame work will be claded with 6mm thick plywood both sides and 10 be finished with approved 1.0mm laminate (century laminates-approved by Bank's Officials) with horizontal grooves 1/8" x 1/8" as per design with approved band adhesive. Extra frame work to be fixed polished and Melamine finish to be provided on all exposed sides. In the glazed partition 12mm thick clear float glass of approved make be provided duly fixed with teak wood lapping 2"X1" all complete be provided duly fixed with teak wood lapping 2"X1" all complete duly natural polished and Melamine finish. In case of Full ht, Partly glazed/full glazed partition some portion to be raised as per drawing.	The work should be completed as per specification, design & approval of the Bank's official. For the cash cabin door 32mm solid core BWP flush door with a frame work of approved shade, size 3"X 2.5" with necessary hold fast fixed to the wall/partition. Finished with 1.0mm laminate and lapping in all sides and 1.5"X1.5" teak wood molding to be provided along the periphery of the door frame. Supply and fixing of complete door accessory/hardware as door closure, brass hinges, cylindrical / Night latch, locks and S.S. handle. For manager cabin with necessary and blasting/granular blasting to be provided and decorative handle of 600mm of approved brand, floor spring, Locks, door stopper, etc., all complete.

Screen( Partition rates shall be upto Sq.# 42  Hi glazing complete with Stainless a Cocks, studs, frames, etc. complete, one/CEEE floor sping with Fithings & Sq.# 24  sand glazing in all respect.  In glazing complete with Stainless and diazing in all respect.  Sand glazing in	1	oughened Glass Full H e) PLUS as per site tull 16" SS door handle, Le ed make (Dorma / Oze 1. Quoted Rate shou Ite for Complete doors	Wooden flooring and skirting in conference room, 10mm thk of Pergo, Armstrong , Egger or equivalent of 1194x194mm or as per manufacturer standards, wear resistant and on top of a HDF board of required density.	P/F 1.00 mm thick laminate, to table tops with required polishing to old Beading and patti surfaces.	5 STORAGE UNITS	Low Height Storage Unit (Back Side Runner): Providing. Constructing and Fixing Storage should be made out of 19 mm thk Plyboard box type in nature. 1.0 mm thk approved laminate to be stuck to all exposed surfaces, inside painting, complete finished with golas/margins, 4" S.S.handles, brass hinges, locks and magnetic catchers, etc., Storage should have side hung shutters. The unit to have shall be 2"-6" in ht and 18"/15" deep as per design. The unit shall have intermediate shelf. This will be used as showcase cum storage for VC counter.	NOTICE / SOFT BOARDS	Providing & fixing soft boards of size 3'-6"x 2'-0" (covered with openable glass shutters) on 10mm th, ply board 12mm th, soft board finished with cotton fabric, 1"x2" teak wood beading.
* * * * * * * * * * * * * * * * * * * *	12'-0" High).	ion (Onos 3x7", 0 nos.3x7" complete with Stainless frames, etc. complete, oor spring with Fittings & viding all hardware as 19 in all respect.	om, 10mm thk of Pergo, 4x194mm or as per 1 top of a HDF board of	equired polishing to old		800		
240 240 240 15	Sq.ff	Sq.#	89.#	Sq.ff		#.#		os.
	42	24	540	200		55		_

requirements. The site has works which may arise as per site	Miscellaneous electrical and attendances	Fan 1400 rpm. continuously rated, capacitor start and run type, totally enclosed and ruggedly built, pre lubricated double ball balanced, below 40 db sound level etc. Supplying & fixing of 300mm		The second second second	Nos.	Nos.	rox.) : Nos.	decorative luminaire with LED FIXTURES with class I electrical safety.  complete as required Fifting Dimensions: (make - PHILIPS/HAVELLS)	Supply fixing facting and	ELECTRICAL Hems		A.Total Furniture and allied works (Rs.)	8 SERVER COUNTER:	Rate	20 8 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4	Nos. Nos. Nos.	ELECTRICAL, AC & NETWORKING WORKS:  ELECTRICAL Hems:  Supply, fixing, festing and commissioning of Recess mounted accordive luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, festing and commissioning of Recess mounted accordive luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, festing and commissioning of Recess mounted complete as required fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts, Minimum LED SQUARE size 600X600X80 mm ( Approx.):  14-15 w. Minimum LED ROUND DOWN LIGHTER Diameter 110-165mm, CRI>80, PF>0.9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  ELECTRICAL FANS  Providing & Fixing Wall Fans 15" dia: (steel body) 15" dia: khaitan / Crompton Greaves / Orient. 6 in Branch+3 in Multipurpose area  Exhaust Fan: Supply and fixing of the following single phase Exhaust forally enclosed and ruggedly built, pre lubnicated double ball bearing. Copper wounded, A & E class insulation, dynamically balanced, below 40 db. sound level etc. Supplying & fixing of 300mm  Miscellaneous electrical and aillied works which may arise as per site requirements. The stab has undiffed works which may arise as per site.
Nos.	Nos.			Contract to the second	Nos.	vith acrylic cover Philips make Nos.	N LIGHTER Diameter 110- S vith acrylic cover Philips make Nos. Nos.	32-40 watts. Minimum LED SQUARE size 600X600X80 mm ( Approx.) : Nos.  14-15 w .Minimum LED ROUND DOWN LIGHTER Diameter 110- 165mm, CRI>80, PF>0.9 (make - PHILIPS 1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make RECTRICAL FANS Providing & Fixing Wall Fans 15 make Nos.	decorative luminaire with LED FIXTURES with class I electrical safety, complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600X600X80 mm ( Approx.):  Nos.  14-15 w.Minimum LED ROUND DOWN LIGHTER Diameter 110- 165mm.CRI>80,PF>0.9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  ELECTRICAL FANS  Nos.	Supply, fixing, festing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600X600X80 mm ( Approx.):  Rel-80,PF>0,9  14-15 w ,Minimum LED ROUND DOWN LIGHTER Diameter 110- 165mm,CRI>80,PF>0,9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  RECTRICAL FANS  Nos. 8	Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted affects affect in the FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted affects I and a supply complete as required FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted affects I and a supply complete as required FIXTURES with a commission in the commis	ELECTRICAL, AC & NETWORKING WORKS:  ELECTRICAL items:  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety, complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600x600x80 mm ( Approx.):  RS-80,PF>0,9  14-15 w. Minimum LED ROUND DOWN LIGHTER Diameter 110-  165mm.CRI>80,PF>0,9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  RECTRICAL FANS  Nos. 8	A.Total Furniture and allied works (Rs.)  ELECTRICAL, AC & NETWORKING WORKS:  ELECTRICAL thems:  Supply, fixing, festing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted advisory (make - PHILIPS/HAVELLS)  32-40 waths. Minimum LED SQUARE size 600X600X80 mm (Approx.):  Rel-Supply, fixing with acrylic cover Philips make  I × 28w T-5 Light batten plain fitting with acrylic cover Philips make  Providing & Fixing Wall Face 15 miles.		2	Nos.	Crompton Greaves / Orient, 6 in Branch+3 in Multipurpose area
Nos. Nos.	Nos.	Nos.	(steel body) 15" dia : Khaitan / Nos.			Nos.	Nos.	Nos.	decorative luminaire with LED FIXTURES with class I electrical safety.  Complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600X600X80 mm ( Approx.):  Nos.  14-15 w ,Minimum LED ROUND DOWN LIGHTER Diameter 110-  165mm, CRI>80, PF>0.9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  Nos.	Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety, complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600X600X80 mm ( Approx.) : Nos. 8  14-15 w.Minimum LED ROUND DOWN LIGHTER Diameter 110- Nos. 20  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make Nos.	ELECTRICAL items:  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety, complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600X600X80 mm ( Approx.) : Nos. 8  14-15 w.Minimum LED ROUND DOWN LIGHTER Diameter 110- Nos. 20  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make Nos.	ELECTRICAL, AC & NETWORKING WORKS:  ELECTRICAL Ifems:  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Complete as required Fitting Dimensions: (make - PHILIPS/HAVELLS)  32-40 watts. Minimum LED SQUARE size 600X600X80 mm ( Approx.) :  Result of the control of the con	A.Total Furniture and allied works (Rs.)  ELECTRICAL, AC & NETWORKING WORKS: ELECTRICAL items:  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted decorative luminaire with LED FIXTURES with class I electrical safety.  Supply, fixing, testing and commissioning of Recess mounted complete as required fitting Dimensions; (make - PHILIPS/HAVELLS)  32-40 watts.Minimum LED SQUARE size 600x600X80 mm ( Approx.) :  Received the safety of the safety of make - PHILIPS  14-15 w. Minimum LED ROUND DOWN LIGHTER Diameter 110-  165mm,CRI>80,PF>0.9 (make - PHILIPS  1 x 28w T-5 Light batten plain fitting with acrylic cover Philips make  Nos.		00		ELECTRICAL FANS

B). ELECTRICAL, AC &	B). ELECTRICAL, AC & NETWORKING WORKS RE
Total (A+B)	
Any Discount Offered on	ed on Total (Rs.) .
Total after Discount (Rs.)	
Add GST	
Grand total (Rs.)	
NOTES:- Specifications mer market and Contractor will	NOTES:- Specifications mentioned as above should be read as per standard specifications prevailing in the market and Contractor will not be given benefit of doubt just because few terms are missing if any
The entire work including guidelines of Central be Engineer or Competent Architect/Engineer.	The entire work including colors/specification/size etc. are to be done as per latest guidelines of Central bank of India. Materials to be approved from Bank's Architect or Engineer or Competent Authority. No Equivalent should be used without information of Architect/Engineer.
For any extra work out of tender permission to R.O. stands for rate only & is to be filled clubs	For any extra work out of tender permission to be taken from Bank/Architect, R.O. stands for rate only & is to be filled childs
Site work to be got appd. Fr	Site work to be got appd. From architect time to time as per his instructions
Accepted unconditionally as	ally as above.
Final Quoted Amount in Figure and Words(Rs,)	re and Words(Rs.)
Name and Sign of Authorized	Name and Sign of Authorized Standard with July